

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	29	((HIROSHI) near2 (OOMURA)).INV.	US-PGPUB; USPAT	ADJ	ON	2009/04/21 09:06
S2	13922	plug near2 play	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 09:25
S3	14796	(plug near2 play) or upnp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 09:26
S4	4628	S3 and network and driver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 09:26
S5	442	S3 and network and (print\$3 near2 driver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 09:30
S6	0	((("not" near2 support) with ((plug near2 play) or upnp))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 09:37
S7	1783	((support) with ((plug near2 play) or upnp))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 09:38
S8	2224	((support or compatible) with ((plug near2 play) or upnp))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 09:38

S9	93	S8 and network and (print\$3 near2 driver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 09:38
S10	2572	((support or compatible) with ((plug near2 play) or upnp or pnp))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 09:39
S11	95	S10 and network and (print\$3 near2 driver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 09:39
S12	3	"20020156947"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 09:53
S13	100	((comply) with ((plug near2 play) or upnp or pnp))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 10:01
S14	6	S13 and network and (print\$3 near2 driver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 10:01
S15	72666	(plug near2 play) or upnp or pnp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 10:49
S16	149	S15 and (network near2 address) and (print\$3 near2 driver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 10:50
S17	19	S16 and (virtual near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 10:50

S18	72666	(plug near2 play) or upnp or pnp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:02
S19	149	S18 and (network near2 address) and (print\$3 near2 driver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:02
S20	56	S19 and (legacy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:02
S21	62289	upnp or pnp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:11
S22	92	(upnp or pnp) near2 printer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:11
S23	2	10/935249	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:39
S24	3	"20040032611"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:40
S25	2	"20010043358"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:41
S26	9	printer with (plurality near4 virtual) with function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 09:33

S27	230	printer with ((multiple or many or plurality) near4 virtual)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 09:41
S28	72666	(plug near2 play) or upnp or pnp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 09:41
S29	16	S28 and S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 09:41
S30	5135	device with ((multiple or many or plurality) near4 virtual)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 10:51
S31	4	S30 same S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 10:51
S32	171	S30 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 10:54
S33	977882	mfp or (multi function peripheral) or copier or printer or (image forming apparatus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 10:56
S34	87	S32 and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 10:56
S35	314	virtual with S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 11:01

S36	86	S35 and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 11:02
S37	26	printer with (plurality near4 logical) with function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 13:37
S38	139	printer with ((multiple or many or plurality) near4 logical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 13:37
S39	0	S38 same S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 13:37
S40	15	S38 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 13:38
S41	11801	(358/1.15).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/23 09:22
S42	3308	(358/1.13).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/23 09:22
S43	1183	(710/36).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/23 09:22
S44	500	(710/11).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/23 09:22

S45	230	printer with ((multiple or many or plurality) near4 virtual)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 09:23
S46	89	S41 and S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 09:23
S47	54	S42 and S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 09:23
S48	92	(upnp or pnp) near2 printer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 09:24
S49	1	S43 and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 09:24
S50	1	S44 and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 09:24
S51	1029108	mfp or (multi function peripheral) or copier or printer or (image forming apparatus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 15:21
S52	183	(support\$4 or compatibl\$4 or compl\$4) near3 ((plug near2 play) or upnp or pnp) same S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 15:21
S53	94	(support\$4 or compatibl\$4 or compl\$4) near3 ((plug near2 play) or upnp or pnp) with S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 15:22

S54	99	(support\$4 or compatibl\$4 or compl\$4) near5 ((plug near2 play) or upnp or pnp) with S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 15:28
S55	114	(support\$4 or compatibl\$4 or compl\$4) with ((plug near2 play) or upnp or pnp) with S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 15:29
S56	823	((plug near2 play) or upnp or pnp) and S51 and ((id or identification) with function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 15:41
S57	61	((plug near2 play) or upnp or pnp) and S51 same ((id or identification) with function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 15:41
S58	244	((plug near2 play) or upnp or pnp) and S51 same (driver with function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 16:18
S59	133	((plug near2 play) or upnp or pnp) and S51 same (driver with function) and (@ad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 16:18
S60	75825	(plug near2 play) or upnp or pnp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 16:46
S61	16	printer with ((multiple or many or plurality) near4 virtual) and S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 16:46
S62	118	((plug near2 play) or upnp or pnp) and S51 with virtual	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/10 16:48

S63	1029966	mfp or (multi function peripheral) or copier or printer or (image forming apparatus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/14 10:37
S64	5713	((plug near2 play) or upnp or pnp) and S63 and function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/14 10:37
S65	823	((plug near2 play) or upnp or pnp) and S63 and (function with (id or identification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/14 10:48
S66	105	S63 and ((plug near2 play) or upnp or pnp) same (function with (id or identification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/14 10:49
S67	1030505	mfp or (multi function peripheral) or copier or printer or (image forming apparatus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 15:00
S68	29	S67 and (legacy) same (function with (id or identification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 15:00
S69	24	S67 with (legacy) and (function with (id or identification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 15:02
S70	72141	(mfp or (multi\$1function) or copier or printer or (image forming apparatus) or mfd or all\$1in\$1one) and (plural\$4 or multi or multiple) near2 function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 15:06
S71	0	((mfp or (multi\$1function) or copier or printer or (image forming apparatus) or mfd or all\$1in\$1one) with leagacy) and (plural\$4 or multi or multiple) near2 function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 15:07

S72	0	((mfp or (multi\$1function) or copier or printer or (image forming apparatus) or mfd or all\$1in\$1one) with leagacy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 15:07
S73	568	((mfp or (multi\$1function) or copier or printer or (image forming apparatus) or mfd or all\$1in\$1one) with legacy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 15:07
S74	69	((mfp or (multi\$1function) or copier or printer or (image forming apparatus) or mfd or all\$1in\$1one) with legacy) and (plural\$4 or multi or multiple) near2 function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 15:07
S75	857	(710/240).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/16 16:04
S76	1	S75 and S74	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 16:04
S77	1	S75 and S73	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 16:04
S78	36	((HIROSHI) near2 (OOMURA)).INV.	US-PGPUB; USPAT	ADJ	ON	2009/12/16 16:05
S79	7	S78 and @pd> "20090421"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 16:05
S80	12820	(358/1.15).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/16 16:05
S81	1031	S80 and @pd> "20090421"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 16:05

S82	3572	(358/1.13).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/16 16:05
S83	264	S82 and @pd> "20090421"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 16:05
S84	1276	(710/36).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/16 16:05
S85	93	S84 and @pd> "20090421"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 16:05
S86	540	(710/11).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/16 16:05
S87	40	S86 and @pd> "20090421"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 16:05
S92	0	(mfp or (multi function peripheral)) and (upnp or legacy) and (function with plurality near2 id)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/05 11:13
S93	83	(mfp or (multi function peripheral)) and (upnp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/05 11:13
S94	5	(mfp or (multi function peripheral)) and (no\$1 (upnp or pnp))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/05 11:14

S95	6	(mfp or (multi function peripheral)) and (no\$1 near3 (upnp or pnp))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/05 11:14
S96	9	(mfp or (multi function peripheral)) and (no\$1 near3 (upnp or pnp or plug near2 play))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/05 11:16
S97	25	(mfp or (multi function peripheral)) and (upnp or pnp or plug near2 play) and (function with id)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/05 11:18
S98	4	(mfp or (multi function peripheral)) and (no\$1 near5 (upnp or pnp or (plug near2 play) or plug-n-play or plug-and-play)) and (function with id)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/05 11:22
S99	10	(mfp or (multi function peripheral)) and (no\$1 near5 (upnp or pnp or (plug near2 play) or plug-n-play or plug-and-play))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/05 11:22
S100	398	(mfp or ((multi-function or (multi function)) (peripheral or device)) or printer or copier or image forming) and (no\$1 near5 (upnp or pnp or (plug near2 play) or plug-n-play or plug-and-play))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/05 11:24
S101	224	(mfp or ((multi-function or (multi function)) (peripheral or device)) or printer or copier or image forming) and (no\$1 near5 (upnp or pnp or (plug near2 play) or plug-n-play or plug-and-play)) and (@ad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/05 11:25
S102	154	(mfp or ((multi-function or (multi function)) (peripheral or device)) or printer or copier or image forming) and (no\$1 adj5 (upnp or pnp or (plug near2 play) or plug-n-play or plug-and-play)) and (@ad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/05 11:26

S103	4483	(mfp or ((multi-function or (multi function)) (peripheral or device)) or printer or copier or image forming) and (upnp or pnp or (plug near2 play) or plug-n-play or plug-and-play) and (@ad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/05 14:56
S104	133	(mfp or ((multi-function or (multi function)) (peripheral or device)) or printer or copier or image forming) and (upnp or pnp or (plug near2 play) or plug-n-play or plug-and-play) and (composit\$4 or hybrid) near5 function and (@ad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/05 15:07
S105	121	(mfp or ((multi-function or (multi function)) (peripheral or device)) or printer or copier or image forming) and (upnp or pnp or (plug near2 play) or plug-n-play or plug-and-play) and virtual near3 function and (@ad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/05 15:25
S106	127	(mfp or ((multi-function or (multi function)) (peripheral or device)) or printer or copier or image forming) and (upnp or pnp or (plug near2 play) or plug-n-play or plug-and-play) and virtual with language and (@ad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/09 14:54
S107	0	(mfp or ((multi-function or (multi function)) (peripheral or device)) or printer or copier or image forming) same (upnp or pnp or (plug near2 play) or plug-n-play or plug-and-play) and virtual with language and (@ad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/09 14:54

S108	0	(mfp or ((multi-function or (multi function)) (peripheral or device)) or printer or copier or image forming) and (upnp or pnp or (plug near2 play) or plug-n-play or plug-and-play) and seperat\$4 with device with language and (@ad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/09 14:57
S109	1640	(mfp or ((multi-function or (multi function)) (peripheral or device)) or printer or copier or image forming) and virtual with language and (@ad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/09 15:00
S110	57	(mfp or ((multi-function or (multi function)) (peripheral or device)) or printer or copier or image forming) same virtual with language and (@ad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/09 15:00
S111	45	((HIROSHI) near2 (OOMURA)).INV.	US-PGPUB; USPAT	ADJ	ON	2011/02/10 08:59
S112	9	S111 and @pd>"20091216"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/10 08:59
S113	14832	(358/1.15).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/02/10 08:59
S114	1996	S113 and @pd>"20091216"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/10 08:59
S115	4100	(358/1.13).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/02/10 08:59
S116	528	S115 and @pd>"20091216"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/10 08:59

S117	1481	(710/36).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/02/10 08:59
S118	205	S117 and @pd> "20091216"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/10 08:59
S119	628	(710/11).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/02/10 08:59
S120	88	S119 and @pd> "20091216"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/10 08:59
S121	929	(710/240).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/02/10 08:59
S122	73	S121 and @pd> "20091216"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/02/10 08:59

EAST Search History (Interference)

<This search history is empty>

2/ 10/ 2011 9:08:37 AM**C:\ Documents and Settings\ npachol\ My Documents\ EAST\ Workspaces\ app10599653.wsp**